

# EVANS

## GENERAL CATALOG

CATALOG NO. 7701




1F 2

14

ENGLISH, ENGLISH/METRIC & ALL METRIC BLADES ARE AVAILABLE

EVANS RULE CO. LTD. 5653 PARE ST., MONTREAL, QUEBEC H4P 1S1.



## 1 LOCKING "POWER-TAPES"

With Metal Belt Clip

BLADE LOCKS WHERE YOU WANT IT, REWINDS AUTOMATICALLY UNDER POWER. Chrome-plated inside-outside case is two inches wide. 1/2 inch tempered and bonderized steel blade. Inch markings in black, feet and inch markings in red. Stud marks in red every 16 inches. Graduated in sixteenths, thirty seconds on first six inches. Self adjusting end hook slides to compensate for its own thickness. Takes regular Evans replacement blades. Individually carded, packed 6 in a box.

| Nos. | Length of blade | Wgt. per box-lbs. |
|------|-----------------|-------------------|
| LP10 | 10 foot         | 2 3/4             |
| LP12 | 12 foot         | 2 7/8             |

### METRIC

Same as above but with Metric markings. Millimeters on both edges.

|         |             |       |
|---------|-------------|-------|
| LP2M    | 2 meters    | 2 1/2 |
| LP3M    | 3 meters    | 2 3/4 |
| LP3.65M | 3.65 meters | 3     |

### METRIC/ENGLISH

Same as above but with Metric-English markings. Millimeters on upper edge, inches to sixteenths on lower edge.

|         |                  |       |
|---------|------------------|-------|
| LP6M/E  | 2 meters—78 3/4" | 2 1/2 |
| LP10M/E | 3 meters—119"    | 2 3/4 |
| LP12M/E | 3.65 meters—144" | 2 7/8 |

### KING SIZE

Same as above but with 3/4" wide blade graduated on both sides. One side has two color markings. Reverse side in black only.

|       |         |       |
|-------|---------|-------|
| LP10K | 10 foot | 3 1/2 |
| LP12K | 12 foot | 3 5/8 |

### KING SIZE METRIC

Same as above but with Metric markings. Millimeters on both edges.

|          |             |       |
|----------|-------------|-------|
| LP2KM    | 2 meters    | 3     |
| LP3KM    | 3 meters    | 3 1/2 |
| LP3.65KM | 3.65 meters | 3 5/8 |

### KING SIZE METRIC/ENGLISH

Same as above but with Metric-English markings. Millimeters on upper edge, inches to sixteenths on lower edge.

|          |                  |       |
|----------|------------------|-------|
| LP6KM/E  | 2 meters—78 3/4" | 3     |
| LP10KM/E | 3 meters—119"    | 3 1/2 |
| LP12KM/E | 3.65 meters—144" | 3 5/8 |

## 2 LOCKING THIN-TAPE

BLADE LOCKS WHERE YOU WANT IT, REWINDS AUTOMATICALLY UNDER POWER. Inside-outside measuring case is THIN as a watch . . . slips into any pocket or purse. Very light in weight. Chrome plated case is exactly 2 inches wide at base. 1/4 inch tempered and bonderized steel blade. Jet-black markings on blade, graduated in eighths and sixteenths; thirty-seconds on first six inches. Non-moveable end hook. Blades replaceable instantly. Individually carded, packed 6 in a box.

| Nos.    | Length of blade | Wgt. per box-lbs. |
|---------|-----------------|-------------------|
| L6 1/4  | 6 foot          | 1 1/8             |
| L8 1/4  | 8 foot          | 1 1/4             |
| L10 1/4 | 10 foot         | 1 3/8             |

### METRIC

Same as above but with Metric markings. Millimeters on one edge.

|     |          |       |
|-----|----------|-------|
| L2T | 2 meters | 1 1/8 |
| L3T | 3 meters | 1 3/8 |

### METRIC/ENGLISH

Same as above but with Metric-English markings. Millimeters on upper edge, inches to sixteenths on lower edge.

|             |                  |       |
|-------------|------------------|-------|
| L6 1/4 M/E  | 2 meters—78 3/4" | 1 1/8 |
| L10 1/4 M/E | 3 meters—119"    | 1 3/8 |

## 3 KING SIZE LOCKING TAPE

With Metal Belt Clip

BLADE LOCKS WHERE YOU WANT IT, REWINDS AUTOMATICALLY UNDER POWER. Chrome plated measuring case is exactly 2 1/2 inches wide at base for accurate inside-outside measurements. 3/4 inch wide tempered and bonderized steel blade. Jet black foot and inch markings on blade, graduated in eighths and sixteenths. Stud marks every 16 inches. Self adjusting end hook slides to compensate for its thickness. Takes regular Evans "King-size" replacement blades. Individually carded, packed 6 in a box.

| Nos. | Length of blade | Wgt. per box-lbs. |
|------|-----------------|-------------------|
| L16K | 16 foot         | 4 1/4             |
| L20K | 20 foot         | 5                 |

### KING SIZE METRIC/ENGLISH

Same as above but with metric/english markings. Millimeters on upper edge, inches to sixteenths on lower edge.

|         |               |       |
|---------|---------------|-------|
| L16KM/E | 5 meters—197" | 4 1/4 |
| L20KM/E | 6 meters—240" | 5     |

## 4 "POWER-TAPES"

With Metal Belt Clip

Controlled power blade return.\* Gentle pressure on button retracts blade into case smoothly. Chrome plated inside-outside case is two inches wide. 1/2 inch tempered and bonderized steel blade has inch markings in black, feet and inch markings in red. Stud marks in red every 16 inches. Graduated in sixteenths, thirty-seconds on first six inches. Self adjusting end hook slides to compensate for its own thickness. Individually carded, packed 6 in a box.

| Nos. | Length of blade | Wgt. per box-lbs. |
|------|-----------------|-------------------|
| PT6  | 6 foot          | 2 1/2             |
| PT8  | 8 foot          | 2 5/8             |
| PT10 | 10 foot         | 2 3/4             |
| PT12 | 12 foot         | 2 7/8             |

### METRIC

Same as above but with Metric markings. Millimeters on both edges.

|         |             |       |
|---------|-------------|-------|
| PT2M    | 2 meters    | 2 3/8 |
| PT3M    | 3 meters    | 2 5/8 |
| PT3.65M | 3.65 meters | 2 7/8 |

### METRIC/ENGLISH

Same as above but with Metric-English markings. Millimeters on upper edge, inches to sixteenths on lower edge.

|         |                  |       |
|---------|------------------|-------|
| PT6M/E  | 2 meters—78 3/4" | 2 3/8 |
| PT10M/E | 3 meters—119"    | 2 5/8 |
| PT12M/E | 3.65 meters—144" | 2 7/8 |

### KING-SIZE

Same as above but with 3/4" wide blade graduated on both sides.

|      |         |       |
|------|---------|-------|
| KP10 | 10 foot | 3 1/2 |
| KP12 | 12 foot | 3 5/8 |

### KING SIZE METRIC

Same as above but with Metric markings. Millimeters on both edges.


|         |             |       |
|---------|-------------|-------|
| KP2M    | 2 meters    | 3     |
| KP3M    | 3 meters    | 3 1/2 |
| KP3.65M | 3.65 meters | 3 5/8 |

### KING SIZE METRIC/ENGLISH

Same as above but with Metric-English markings. Millimeters on upper edge, inches to sixteenths on lower edge.

|         |                  |       |
|---------|------------------|-------|
| KP6M/E  | 2 meters—78 3/4" | 3     |
| KP10M/E | 3 meters—119"    | 3 1/2 |
| KP12M/E | 3.65 meters—144" | 3 5/8 |

\*Made in accordance with U. S. Patents 2,586,386 and 2,833,534.



## 5 PUSH-PULL TAPES

With Metal Belt Clip

Practical for measurements in production and maintenance work. Chrome-plated inside-outside case is two inches wide. 1/2 inch tempered steel blade is finished with bonderized enamel on both sides. Inch markings in black, feet and inch markings in red. Stud marks in red every 16 inches. Graduated in eighths and sixteenths, thirty-seconds on first six inches. Self-adjusting end hook slides to compensate for its thickness. Takes regular Evans replacement blades. Individually carded, packed 6 in a box.

| Nos. | Length of blade | Wgt. per box-lbs. |
|------|-----------------|-------------------|
| 106  | 6 foot          | 1 1/8             |
| 108  | 8 foot          | 2                 |
| 110  | 10 foot         | 2 1/2             |
| 112  | 12 foot         | 2 3/4             |

### METRIC

Same as above but with Metric markings. Millimeters on both edges.

|       |             |       |
|-------|-------------|-------|
| M2    | 2 meters    | 1 1/8 |
| M3    | 3 meters    | 2 1/2 |
| M3.65 | 3.65 meters | 2 3/4 |

### METRIC/ENGLISH

Same as above but with Metric/English markings. Millimeters on upper edge, inches to sixteenths on lower edge.

|        |                  |       |
|--------|------------------|-------|
| 106M/E | 2 meters—78 3/4" | 1 1/8 |
| 110M/E | 3 meters—119"    | 2 1/2 |
| 112M/E | 3.65 meters—144" | 2 3/4 |

### KING SIZE

Same as above but with 3/4" blade graduated on both sides. One side has two color markings. Reverse side in black only.

|     |         |       |
|-----|---------|-------|
| 12K | 12 foot | 3 3/4 |
|-----|---------|-------|

### KING SIZE METRIC

Same as above but with Metric markings. Millimeters on both edges.

|        |             |       |
|--------|-------------|-------|
| 2KM    | 2 meters    | 2 1/2 |
| 3KM    | 3 meters    | 2 3/4 |
| 3.65KM | 3.65 meters | 3 3/4 |

### KING SIZE METRIC/ENGLISH

Same as above but with Metric-English markings. Millimeters on upper edge, inches to sixteenths on lower edge.

|        |                  |       |
|--------|------------------|-------|
| 6KM/E  | 2 meters—78 3/4" | 2 1/2 |
| 10KM/E | 3 meters—119"    | 2 3/4 |
| 12KM/E | 3.65 meters—144" | 3 3/4 |

## 6 KING SIZE (16 FOOT)

Push Pull with Metal Belt Clip

Same as above but with 3/4" blade. Markings in black only.

|     |         |   |
|-----|---------|---|
| 16K | 16 foot | 4 |
|-----|---------|---|

### KING SIZE METRIC/ENGLISH

Same as above but with metric/english markings. Millimeters on upper edge, inches to sixteenths on lower edge.

|        |               |   |
|--------|---------------|---|
| 16KM/E | 5 meters—197" | 4 |
|--------|---------------|---|

Available with white "W" or yellow "Y" blades.

## 7 "THIN-TAPES"

Inside-outside measuring case is THIN as a watch . . . slips into any pocket or purse. Very light in weight. Chrome plated case is exactly two inches wide at base. 1/4 inch tempered and bonderized steel blade is graduated in eighths and sixteenths; thirty-seconds on first six inches. Non-moveable end hook. Blades replaceable instantly. Individually carded, packed 12 in a box.

| Nos.   | Length of blade | Wgt. per box-lbs. |
|--------|-----------------|-------------------|
| 6 1/4  | 6 foot          | 1 1/8             |
| 8 1/4  | 8 foot          | 1 1/2             |
| 10 1/4 | 10 foot         | 2                 |

Same as above but with Metric markings. Millimeters on one edge.

|     |          |       |
|-----|----------|-------|
| M2T | 2 meters | 1 1/8 |
| M3T | 3 meters | 2     |

Same as above but with Metric-English markings. Millimeters on upper edges, inches to sixteenths on lower edge.

|            |                  |       |
|------------|------------------|-------|
| 6 1/4 M/E  | 2 meters—78 3/4" | 1 1/8 |
| 10 1/4 M/E | 3 meters—119"    | 2     |

Available with white "W" or yellow "Y" blades.

## 8 UTILITY LONG TAPES

An economically priced tape. Ideal for builders and home handymen . . . anyone who needs a long tape. Triple chrome-plated case fits the hand comfortably. 3/8" wide steel tape has large black numbers for visibility. New hook ring on blade measures from zero at outside of ring and inside of hook. Hook ring locks tightly when blade is in case. Pop-open folding handle with longer extension for fast, easy rewinding. Stud marks every 16". Blade easily replaced with standard replacement blades. Individually blister-carded, packed 6 in a box.

| No. | Length of blade | Wgt. ea. lbs. |
|-----|-----------------|---------------|
| 505 | 50 foot         | 1             |
| 510 | 100 foot        | 1 3/4         |

### METRIC

Same as above but with Metric markings, in meters by millimeters for first 10 centimeters, then by centimeters.

|     |           |       |
|-----|-----------|-------|
| 100 | 10 meters | 1/2   |
| 150 | 15 meters | 1     |
| 200 | 20 meters | 1 3/8 |
| 250 | 25 meters | 1 1/2 |
| 300 | 30 meters | 1 3/4 |

### METRIC/ENGLISH

Same as above but blade is 1/2 inch wide and is marked on one edge in inches and eighths, on other edge in meters by millimeters for first 20 centimeters, then by centimeters.

|     |              |       |
|-----|--------------|-------|
| 110 | 10 m—33 ft.  | 7/8   |
| 115 | 15 m—50 ft.  | 1     |
| 120 | 20 m—66 ft.  | 1 1/4 |
| 125 | 25 m—82 ft.  | 1 1/2 |
| 130 | 30 m—100 ft. | 1 3/4 |

## 9 LONG TAPES

Ideal for all types of measurement work. Zinc-plated steel case is covered with vinyl fabric. 3/8 inch steel blade is marked in inches and eighths. Foot-marked at each inch. 16 inch center stud markings. Case has double throat rollers and flush folding handle, opened by push pin. All metal parts heavily plated. Zero is at inside of hook on the hook-ring. Individually blister carded, packed 6 in a box.

| Nos. | Length of blade | Wgt. ea. lbs. |
|------|-----------------|---------------|
| 25W  | 25 foot         | 3/4           |
| 33W  | 33 foot         | 7/8           |
| 50W  | 50 foot         | 1             |
| 66W  | 66 foot         | 1 3/8         |
| 75W  | 75 foot         | 1 1/2         |
| 100W | 100 foot        | 1 3/4         |

### METRIC

Same as above but with Metric markings, in meters by millimeters for first meter, then by 5 millimeter intervals.


|     |           |       |
|-----|-----------|-------|
| 10M | 10 meters | 7/8   |
| 15M | 15 meters | 1     |
| 20M | 20 meters | 1 3/8 |
| 25M | 25 meters | 1 1/2 |
| 30M | 30 meters | 1 3/4 |

### METRIC/ENGLISH

Same as above but blade is 1/2 inch wide and is marked on one edge in inches and eighths, on other edge in meters by millimeters for first 20 centimeters, then by centimeters.

|       |               |       |
|-------|---------------|-------|
| 10M/E | 10 m.—33 ft.  | 1 1/8 |
| 15M/E | 15 m.—50 ft.  | 1 1/4 |
| 20M/E | 20 m.—66 ft.  | 1 3/8 |
| 25M/E | 25 m.—82 ft.  | 2     |
| 30M/E | 30 m.—100 ft. | 2 1/4 |

White blades only in long tapes.



## 10 UTILITY KNIVES


### ADJUSTABLE MODEL

Adjustable heavy duty model. Die cast handle. Blade locks in four positions: fully extended, carton opening, scoring, or closed for maximum safety. Surgical quality, extra-heavy precision blades. Extra blades included with each knife. Individually packaged, 6 in a box.


| No.              | Wgt. per box-lbs. |
|------------------|-------------------|
| 01 Enamel coated | 3                 |

### CUT AND SCRAPE MODEL

Combination Utility Knife and scraping tool shaped to fit the hand. Superior for all cutting work and in addition scrapes glass, ceramic tile, or any hard surface. Extra surgical quality extra-heavy blades included with each knife. Individually packaged, 6 in a box.



Blade in scraping position



Blade in cutting position

| No. | Wgt. per box-lbs. |
|-----|-------------------|
| 02  | 3                 |

## 11 MINI-KNIFE

A precision built miniature version of our adjustable utility knife that really works! Triple-chrome-plated die casting. For a thousand-and-one cutting, slitting and trimming jobs. Blade adjusts to 3 positions: retracted, partially and fully extended. Complete with two blades — one in place, spare in handle. Individually carded, packed 12 in a box.

| No. | Wgt. per box-lbs. |
|-----|-------------------|
| 03  | 1 1/4             |

## 12 EXTENSION WOOD FOLDING RULES

Six foot long. Has 6 inch long graduated brass extension for measuring between doors, windows, walls, etc. Brass strike plates protect markings. 40 percent heavier brass-plated steel spring joints. Six inch folds, 5/8 inch wide. Deeply embossed and sealed easy to read numerals and graduations. 16 inch stud center markings in red. Boxwood finish. Individually carded, packed 6 in a box.

| Nos. | Type                      | Wgt. per box-lbs. |
|------|---------------------------|-------------------|
| X40  | Regular (outside) reading | 2 7/8             |
| X40F | Flat (inside) reading     | 2 7/8             |

## 13 WOOD FOLDING RULES

Six foot long. Deeply embossed and sealed easy to read numerals and graduations. 16 inch stud center markings in red. Metal tips on first and last sticks prevent splitting. Brass-plated strike plates. Brass steel spring joints. Six inch folds, 5/8 inch wide. Triple-coat white enamel finish. Individually carded, packed 6 in a box.

| Nos. | Type                      | Wgt. per box-lbs. |
|------|---------------------------|-------------------|
| 060  | Regular (outside) reading | 1 7/8             |
| 060F | Flat (inside) reading     | 1 7/8             |

## 14 EVANS "CHALK-MOR" CHALK LINE—PLUMB LINE

Enameled die-cast case is easily seen if dropped on ground. Ball-shaped case is easy to hold. Long offset winding handle reels in faster . . . lets fingers clear case . . . locks quickly and easily. Line on "Pop-In" reel is easily replaced. Screw-type filler cap is leak-proof. True plumb bob tip at bottom of case. Supplied without chalk. Individually boxed.

| Nos. | Length of line  | Wgt. ea. lbs. |
|------|-----------------|---------------|
| 5CL  | 50 foot — 15 m  | 1/2           |
| 10CL | 100 foot — 30 m | 5/8           |

## 15 CHALK LINE—PLUMB LINE

Will mark on any surface, including wood, brick, stone and metal. Die cast case is light in weight. Durable grey enamel finish. Slide action lock and hook-ring provides true plumb-bob action. Lock releases automatically on re-wind. When not in use, handle lies flush with case. Plumb bob tip opens for quick easy filling with powdered chalk. Locked, it is leak-proof. Supplied without chalk. Line on "Pop-In" reel is easily replaced. Individually boxed.

| Nos.  | Length of line  | Wgt. ea. lbs. |
|-------|-----------------|---------------|
| CL50  | 50 foot — 15 m  | 1/2           |
| CL100 | 100 foot — 30 m | 5/8           |

SEE NEXT PAGE FOR CHALK AND REPLACEMENT LINES FOR USE IN "CHALK-MOR" CHALK LINE-PLUMB LINE AND REGULAR CHALK LINE-PLUMB LINE.

## 16 KEY CADDY

The carrier that returns keys and other articles automatically. Perfect for anyone who wants them in an easily accessible position. Custodians, maids, watchmen, service station attendants, and many others will want one for their keys. Welders use them to carry torch igniters, fishermen to keep their landing nets handy, hunters to carry their game calls. Heavy duty chrome-plated die cast case with belt clip attached. Stainless steel chain and large key ring. Free factory registration program. If keys are lost, finder drops in any mail-box. Keys are then returned to original owner. Individually carded, packed 6 in a box.

| No.  | Wgt. per box-lbs. |
|------|-------------------|
| RK-1 | 1 5/8             |

## CHALK REFILLS

Highest quality chalk ground and colored to mark distinctly. Can be used in all types of reels. Available in dark blue, dark red, white and yellow. Specify color when ordering. Packed in various sizes, from 1 ounce easy-pour pouches for the home handyman to 50 pound drums for the large industrial user.



One ounce available in easy-pour one-shot plastic pouch. Packed 12 in an attractive set-up display box.

| No.         | Quantity | Wgt. lbs. |
|-------------|----------|-----------|
| C10 (1 oz.) | 12       | 7/8       |



Eight ounces available in plastic squeeze bottles with flip-top cap that seals tight . . . prevents spilling. Packed in a 6-pak.

|            |   |   |
|------------|---|---|
| C8 (8 oz.) | 6 | 4 |
|------------|---|---|

Five pounds comes packed in individual metal can.

|       |   |       |
|-------|---|-------|
| 5 lb. | 1 | 5 1/2 |
|-------|---|-------|

Twenty-five and fifty pounds come individually packed in sturdy fibre drums for added protection and long storage life.

|        |   |    |
|--------|---|----|
| 25 lb. | 1 | 27 |
| 50 lb. | 1 | 53 |

## REPLACEMENT LINE

Top quality line wound on "Pop-In" spool for use in Evans "Chalk-Line" reels. Can be wound into other types of reels. Packed 12 individual spools in a box.



| Nos.   | Length of line  | Wgt. per box-lbs. |
|--------|-----------------|-------------------|
| RL 50  | 50 foot — 15 m  | 1/2               |
| RL 100 | 100 foot — 30 m | 5/8               |

## MINI-KNIFE BLADES (For 03 Knife)



Heavy-duty surgical-quality steel blades. Precision ground for cleaner cutting and longer wear. Blister packed 5 on a card, 12 cards in a box.

| Number | Wgt. per box-lbs. |
|--------|-------------------|
| 03R    | 1 1/2             |

## UTILITY KNIFE BLADES (For 01, 02, 04 Knives)



Regular Industrial type. Extra heavy-duty (.025 gauge) surgical-quality steel. Precision ground edge for easier cutting and longer wear. Blister packed 5 on a card, 12 cards in a box. Also available in 50 and 250 Bulk Packs.

| Nos. | Packed in box | Wgt. per box-lbs. |
|------|---------------|-------------------|
| 01R  | 12 packs of 5 | 3/4               |
| B50  | 50 bulk       | 1 1/2             |
| B250 | 250 bulk      | 2 1/2             |

All Evans Rule Co. products that are defective in material or workmanship will be replaced at no charge. This policy does not apply to tape blades, which can be broken by misuse. Replacement blades for pocket and long tape are available at reasonable costs, and are easily inserted.

Returns should be made by the consumer directly to the factory at:

5653 PARE STREET, MONTREAL, QUEBEC H4P 1S1

**REPAIRS:** Long Tape Blades that have been broken will be repaired when returned directly to the factory by the consumer with a remittance of \$2.50. Wooden Folding Rules that have been broken will be repaired, when returned directly to the factory by the consumer, for 50¢ each.

**RETURN GOODS:** No merchandise is to be returned to the factory except as covered in the Evans Guarantee above. All approved returns must be fully prepaid.

# TYPES OF TAPE BLADES

## USED IN:

ALL POCKET TAPES  
WITH 1/2 INCH WIDE ENGLISH BLADES

ALL POCKET TAPES  
WITH 3/4 INCH WIDE ENGLISH BLADES

Illustration ① front side of all blades

Illustration ② reverse side of 10 & 12  
foot blades only

ALL POCKET TAPES WITH 1/2 INCH  
(13 MM.) and 3/4 INCH (19 MM.)  
WIDE METRIC-ENGLISH BLADES

ALL POCKET TAPES WITH 1/2 INCH  
(13 MM.) and 3/4 INCH (19 MM.)  
WIDE METRIC BLADES

ALL THIN TAPES WITH 1/4 INCH  
WIDE ENGLISH BLADES

ALL THIN TAPES WITH 1/4 INCH  
(6 MM.) WIDE METRIC BLADES

ALL THIN TAPES WITH 1/4 INCH  
(6 MM.) WIDE METRIC-ENGLISH BLADES

ALL LONG TAPES  
WITH 3/8 INCH WIDE ENGLISH BLADES

ALL LONG TAPES  
WITH 9 MM. WIDE METRIC BLADES

ALL LONG TAPES WITH 1/2 INCH  
(13 MM.) WIDE METRIC-ENGLISH BLADES

## REPLACEMENT BLADES

### For REGULAR TAPES

Tempered steel, 1/2 inch wide, with jet-black and red markings. Wound in reverse for easy replacement. Individually packed 6 in a box.

| Nos  | Length | For<br>Tape No. | Wgt. per<br>box-lbs. |
|------|--------|-----------------|----------------------|
| 106R | 6 ft.  | 106-PT6-LP6     | 1/2                  |
| 108R | 8 ft.  | 108-PT8-LP8     | 5/8                  |
| 110R | 10 ft. | 110-PT10-LP10   | 3/4                  |
| 112R | 12 ft. | 112-PT12-LP12   | 1 1/8                |

### METRIC

Same as above, but with Metric markings.

|        |        |                          |       |
|--------|--------|--------------------------|-------|
| M2R    | 2m.    | M2-PT2M-LP2M             | 3/4   |
| M3R    | 3m.    | M3-PT3M-LP3M             | 3/4   |
| M3.65R | 3.65m. | M3.65-PT3.65M<br>LP3.65M | 1 1/4 |

### METRIC/ENGLISH

Same as above but with Metric-English markings.

|         |               |                           |       |
|---------|---------------|---------------------------|-------|
| 106RM/E | 2M/78 3/4"    | 106M/E-PT6M/E<br>LP6M/E   | 1/2   |
| 110RM/E | 3M/119"       | 110M/E-PT10M/E<br>LP10M/E | 3/4   |
| 112RM/E | 3.65M<br>144" | 112M/E-PT12M/E<br>LP12M/E | 1 1/8 |

### For KING SIZE REGULAR TAPES

Tempered steel, 3/4 inch wide, with jet-black and red markings. Wound in reverse for easy replacement. Individually packed 6 in a box.

|      |        |                |       |
|------|--------|----------------|-------|
| 10KR | 10 ft. | 10K-KP10-LP10K | 1     |
| 12KR | 12 ft. | 12K-KP12-LP12K | 1 1/8 |
| 16KR | 16 ft. | 16K-L16K       | 1 1/2 |
| 20KR | 20 ft. | L20K           | 1 3/4 |

### METRIC

Same as above but 3/4 inch wide.

|         |        |                            |       |
|---------|--------|----------------------------|-------|
| M2KR    | 2m.    | LP2KM-KP2M-2KM             | 3/4   |
| M3KR    | 3m.    | LP3KM-KP3M-3KM             | 1     |
| M3.65KR | 3.65m. | LP3.65KM<br>KP3.65M-3.65KM | 1 1/8 |

### METRIC/ENGLISH

Same as above but 3/4 inch wide.

|         |                 |                             |       |
|---------|-----------------|-----------------------------|-------|
| 6KRM/E  | 2 m.<br>78 3/4" | LP6KM/E-6KM/E<br>KP6M/E     | 3/4   |
| 10KRM/E | 3 m.<br>119"    | LP10KM/E-<br>10KM/E-KP10M/E | 1     |
| 12KRM/E | 3.65 m.<br>144" | LP12KM/E-<br>12KM/E-KP12M/E | 1 1/8 |
| 16KRM/E | 5 m.<br>197"    | L16KM/E<br>16KM/E           | 1 1/2 |
| 20KRM/E | 6 m.<br>240"    | L20KM/E                     | 1 3/4 |

### For THIN TAPES

Tempered steel, 1/4 inch wide, with jet-black markings. Wound in reverse for easy replacement. Individually packed 6 in a box.

| Nos.    | Length | For<br>Tape No. | Wgt.-per<br>box-lbs. |
|---------|--------|-----------------|----------------------|
| 6 1/4R  | 6 ft.  | 6 1/4-L6 1/4    | 1/4                  |
| 8 1/4R  | 8 ft.  | 8 1/4-L8 1/4    | 3/8                  |
| 10 1/4R | 10 ft. | 10 1/4-L10 1/4  | 1/2                  |
| M2TR    | 2m.    | M2T-L2T         | 1/4                  |
| M3TR    | 3m.    | M3T-L3T         | 1/2                  |

### METRIC

### METRIC/ENGLISH

|            |            |                      |     |
|------------|------------|----------------------|-----|
| 6 1/4RM/E  | 2m/78 3/4" | 6 1/4M/E-L6 1/4M/E   | 1/4 |
| 10 1/4RM/E | 3m/119"    | 10 1/4M/E-L10 1/4M/E | 1/2 |

### For LONG TAPES

Tempered steel, 3/8 inch wide, with jet-black markings. Individually boxed.

| Nos.  | Length  | For<br>Tape No. | Wgt. Ea.<br>lbs. |
|-------|---------|-----------------|------------------|
| 25WR  | 25 ft.  | 25W             | 3/8              |
| 50WR  | 50 ft.  | 50W-50S         | 1/2              |
| 75WR  | 75 ft.  | 75W             | 3/4              |
| 100WR | 100 ft. | 100W-510        | 1 1/4            |

### METRIC

| Nos.  | Length    | For<br>Tape No. | Wgt. Ea.<br>lbs. |
|-------|-----------|-----------------|------------------|
| M10WR | 10 meters | 10M-100         | 3/8              |
| M15WR | 15 meters | 15M-150         | 1/2              |
| M20WR | 20 meters | 20M-200         | 3/4              |
| M25WR | 25 meters | 25M-250         | 1                |
| M30WR | 30 meters | 30M-300         | 1 1/8            |

### METRIC/ENGLISH

Same as above but 1/2 inch wide.

| Nos.    | Length       | For<br>Tape No. | Wgt. Ea.<br>lbs. |
|---------|--------------|-----------------|------------------|
| 10WRM/E | 10m.-33 ft.  | 10M/E-110       | 3/8              |
| 15WRM/E | 15m.-50 ft.  | 15M/E-115       | 1/2              |
| 20WRM/E | 20m.-66 ft.  | 20M/E-120       | 3/4              |
| 25WRM/E | 25m.-82 ft.  | 25M/E-125       | 1                |
| 30WRM/E | 30m.-100 ft. | 30M/E-130       | 1 1/8            |

# EVANS

DEALERS COST PRICES (FEDERAL SALES TAX INCLUDED)  
 PRIX DE REVIENT DU MARCHAND (TAXE FÉDÉRALE INCLUSE)

CD

| Style Number<br>Référence                    | Sugg. Retail<br>Prix de détail<br>suggéré | Dealers Cost<br>Prix de gros | Style Number<br>Référence                      | Sugg. Retail<br>Prix de détail<br>suggéré | Dealers Cost<br>Prix de gros |
|----------------------------------------------|-------------------------------------------|------------------------------|------------------------------------------------|-------------------------------------------|------------------------------|
| <b>POCKET TAPES — MESURES DE POCHE</b>       |                                           |                              | <b>LONG TAPES — MESURES LONGUES</b>            |                                           |                              |
| L6½ & L6¼m/e                                 | 3.30                                      | 2.20                         | 25W                                            | 12.90                                     | 8.60                         |
| L8½                                          | 3.90                                      | 2.60                         | 50W                                            | 15.50                                     | 10.33                        |
| L10½ & L10¼m/e                               | 4.50                                      | 3.00                         | 75W                                            | 20.00                                     | 13.34                        |
| L2T                                          | 3.30                                      | 2.20                         | 100W                                           | 21.00                                     | 14.00                        |
| L3T                                          | 4.50                                      | 3.00                         | 15M/E                                          | 18.45                                     | 12.30                        |
| LP10 & LP10m/e                               | 6.45                                      | 4.30                         | 30M/E                                          | 26.30                                     | 17.53                        |
| LP12 & LP12m/e                               | 7.40                                      | 4.90                         | 15M                                            | 15.50                                     | 10.33                        |
| LP2M                                         | 4.95                                      | 3.37                         | 30M                                            | 21.00                                     | 14.00                        |
| LP3M                                         | 6.45                                      | 4.30                         | 505                                            | 10.00                                     | 6.67                         |
| LP3.65M                                      | 7.40                                      | 4.90                         | 510                                            | 14.40                                     | 9.60                         |
| LP10K & LP10K m/e                            | 9.30                                      | 6.20                         | 115M/E                                         | 12.20                                     | 8.18                         |
| LP12K & LP12K m/e                            | 10.00                                     | 6.67                         | 130M/E                                         | 17.50                                     | 11.67                        |
| L16K & L16K m/e                              | 11.80                                     | 7.90                         | 150M                                           | 10.00                                     | 6.67                         |
| L20K & L20K m/e                              | 13.35                                     | 8.90                         | 300M                                           | 14.40                                     | 9.60                         |
| LP2KM                                        | 7.50                                      | 5.00                         | <b>REPLACEMENT BLADES — RUBANS DE RECHANGE</b> |                                           |                              |
| LP3KM                                        | 9.30                                      | 6.20                         | 6¼R & 6¼R m/e                                  | 1.95                                      | 1.30                         |
| LP3.65M                                      | 10.00                                     | 6.67                         | 8¼R                                            | 2.25                                      | 1.50                         |
| PT6 & PT6 m/e                                | 4.70                                      | 3.15                         | 10¼R & 10¼R m/e                                | 2.45                                      | 1.63                         |
| PT8                                          | 5.35                                      | 3.55                         | M2TR                                           | 1.95                                      | 1.30                         |
| PT10 & PT10 m/e                              | 5.65                                      | 3.77                         | M3TR                                           | 2.45                                      | 1.63                         |
| PT12 & PT12 m/e                              | 6.45                                      | 4.30                         | 106R & 106R m/e                                | 2.35                                      | 1.56                         |
| PT2M                                         | 4.70                                      | 3.15                         | 108R                                           | 2.85                                      | 1.90                         |
| PT3M                                         | 5.65                                      | 3.77                         | 110R & 110R m/e                                | 3.15                                      | 2.10                         |
| PT3.65M                                      | 6.45                                      | 4.30                         | 112R & 112R m/e                                | 3.55                                      | 2.35                         |
| KP10 & KP10 m/e                              | 7.90                                      | 5.25                         | M2R                                            | 2.35                                      | 1.56                         |
| KP12 & KP12 m/e                              | 8.85                                      | 5.90                         | M3R                                            | 3.15                                      | 2.10                         |
| KP2M                                         | 6.60                                      | 4.40                         | M3.65R                                         | 3.55                                      | 2.35                         |
| KP3M                                         | 7.90                                      | 5.25                         | 6KR & 6KR m/e                                  | 3.85                                      | 2.55                         |
| KP3.65M                                      | 8.85                                      | 5.90                         | 8KR                                            | 3.90                                      | 2.60                         |
| 6¼ & 6¼ m/e                                  | 3.15                                      | 2.10                         | 10KR & 10KR m/e                                | 4.15                                      | 2.75                         |
| 8¼                                           | 3.55                                      | 2.35                         | 12KR & 12KR m/e                                | 5.25                                      | 3.50                         |
| 10¼ & 10¼ m/e                                | 3.85                                      | 2.55                         | 16KR & 16KR m/e                                | 6.90                                      | 4.60                         |
| M2T                                          | 3.15                                      | 2.10                         | 20KR & 20KR m/e                                | 8.10                                      | 5.40                         |
| M3T                                          | 3.85                                      | 2.55                         | 25KR                                           | 9.15                                      | 6.12                         |
| 106 & 106 m/e                                | 3.55                                      | 2.35                         | M2KR                                           | 3.85                                      | 2.55                         |
| 108                                          | 4.70                                      | 3.15                         | M3KR                                           | 4.15                                      | 2.75                         |
| 110 & 110 m/e                                | 5.10                                      | 3.40                         | M3.65KR                                        | 5.25                                      | 3.50                         |
| 112 & 112 m/e                                | 6.20                                      | 4.13                         | M5KR                                           | 6.90                                      | 4.60                         |
| M2                                           | 3.55                                      | 2.35                         | M6KR                                           | 8.10                                      | 5.40                         |
| M3                                           | 5.10                                      | 3.40                         | 25WR                                           | 8.30                                      | 5.55                         |
| M3.65                                        | 6.20                                      | 4.13                         | 50WR                                           | 8.95                                      | 5.97                         |
| 6K & 6K m/e                                  | 5.75                                      | 3.83                         | 75WR                                           | 12.15                                     | 8.10                         |
| 8K                                           | 6.65                                      | 4.43                         | 100WR                                          | 13.55                                     | 9.04                         |
| 10K & 10K m/e                                | 7.25                                      | 4.83                         | 15WR m/e                                       | 11.50                                     | 7.67                         |
| 12K & 12K m/e                                | 8.05                                      | 5.37                         | 30WR m/e                                       | 16.60                                     | 11.08                        |
| 16K & 16K m/e                                | 10.75                                     | 7.16                         | M15WR                                          | 8.95                                      | 5.97                         |
| 2KM                                          | 5.75                                      | 3.83                         | M30WR                                          | 13.55                                     | 9.04                         |
| 3KM                                          | 7.25                                      | 4.83                         | <b>KEY CADDY — PORTE-CLÉS</b>                  |                                           |                              |
| 3.65KM                                       | 8.05                                      | 5.37                         | K1                                             | 6.00                                      | 4.00                         |
| <b>FOLDING WOOD RULES — MESURES PLIANTES</b> |                                           |                              | <b>CHALK LINES — CORDEAUX A CRAIE</b>          |                                           |                              |
| X40 & X40F                                   | 11.20                                     | 7.45                         | CL50                                           | 5.10                                      | 3.40                         |
| 060 & 060F                                   | 7.65                                      | 5.10                         | CL100                                          | 5.70                                      | 3.80                         |
| <b>UTILITY KNIVES &amp; BLADES —</b>         |                                           |                              | 5CL                                            | 4.00                                      | 2.67                         |
| <b>COUTEAUX AUX TOUTS USAGES ET LAMES</b>    |                                           |                              | 10CL                                           | 4.75                                      | 3.16                         |
| 01                                           | 3.70                                      | 2.47                         | RL50                                           | 1.30                                      | 0.85                         |
| 02                                           | 2.85                                      | 1.90                         | RL100                                          | 2.00                                      | 1.32                         |
| 03                                           | 1.95                                      | 1.30                         | <b>CHALK — CRAIE</b>                           |                                           |                              |
| 01R (5's)                                    | 1.30                                      | 0.87                         | C10                                            | 0.30                                      | 0.21                         |
| 03R (5's)                                    | 1.30                                      | 0.87                         | C8                                             | 1.55                                      | 1.02                         |
| B50 (50's)                                   | 9.55                                      | 6.36                         | C5                                             | 11.50                                     | 7.65                         |
| B250 (250's)                                 | 46.50                                     | 30.95                        | C25                                            | 49.60                                     | 33.05                        |
|                                              |                                           |                              | C50                                            | 80.30                                     | 53.55                        |

ORDERING INFORMATION: CHALK — To order specific colours, add the following figures to the style number: B for blue, R for red, W for white and Y for yellow.

BLADES: All pocket tapes and replacement blades are available in yellow. English blades are also available in white. Add W to style number for white, Y for yellow.

Long tapes and long tape replacement blades are available in white only.

RENSEIGNEMENTS SUR LES COMMANDES: CRAIE — Pour la craie de couleur, ajouter les lettres suivantes à la référence: B pour bleue, R pour rouge, W pour blanche et Y pour jaune.

RUBANS — Les mesures de poche et les rubans de rechange sont offerts en jaune (ajouter Y). Les rubans anglais sont également en blanc (ajouter W).

Les mesures longues et les rubans longs de rechange sont de couleur blanche seulement.

Prices subject to change without notice. We reserve the right to invoice at prices in effect at time of shipment.

Prix sujets à changement sans préavis. Nous réservons le droit de facturer les commandes aux prix en vigueur au moment de l'envoi.

## CODE:

T — Thin Tape  
 L — Locking Tape  
 M — Full metric graduations  
 P — Power tape  
 K — King size blade  
 M/E — Metric/English graduations

## LEXIQUE:

T — Mesure mince  
 P — Mesure auto-enrouleuse  
 M — Graduation métrique  
 L — Mesure à blocage  
 K — Ruban large  
 M/E — Graduations métrique/anglaise

EFFECTIVE SEPTEMBER 1/77

NO. 7709-CD

EN VIGUEUR LE 1 SEPTEMBRE 1977

**EVANS RULE CO., Ltd. • 5653 Pare Street — Montreal, Que. H4P 1S1**

Telephone: 731-3740 Printed in Canada

Imprimé au Canada Telex: 055-60163



# EVANS

DEALERS COST PRICES (FEDERAL SALES TAX INCLUDED)  
PRIX DE REVIENT DU MARCHAND (TAXE FÉDÉRALE INCLUSE)

CD

Supplemental to price list 7709-CD; all terms as per CD price list 7709-CD

Supplément de la liste de prix 7709-CD; mêmes conditions que celles des prix de fabrique 7709-CD.

| STYLE NUMBER<br>RÉFÉRENCE                                                                              | SUGG. RETAIL<br>PRIX DE DÉTAIL<br>SUGGÉRÉ | DEALERS COST<br>PRIX DE GROS |
|--------------------------------------------------------------------------------------------------------|-------------------------------------------|------------------------------|
| <u>TRU-LOK pocket tapes/Mesures de poche TRU-LOK.</u>                                                  |                                           |                              |
| TLY12                                                                                                  | 6.95                                      | 4.62                         |
| TLY16                                                                                                  | 8.00                                      | 5.35                         |
| TLY20                                                                                                  | 8.85                                      | 5.90                         |
| TLY25                                                                                                  | 9.95                                      | 6.65                         |
| TLY12 M/E                                                                                              | 6.95                                      | 4.62                         |
| TLY16 M/E                                                                                              | 8.00                                      | 5.35                         |
| TLY20 M/E                                                                                              | 8.85                                      | 5.90                         |
| TLY3.65 M                                                                                              | 6.95                                      | 4.62                         |
| TLY5 M                                                                                                 | 8.00                                      | 5.35                         |
| TLY6 M                                                                                                 | 8.85                                      | 5.90                         |
| <u>TRU-LOK Displays/Emballage TRU-LOK</u>                                                              |                                           |                              |
| TLY120 M/E (14" x 20")                                                                                 | 151.50                                    | 97.75                        |
| 4-TLY12 M/E, 4-TLY16 M/E, 4-TLY20 M/E<br>1-115 M/E, 1-130 M/E<br>1-12KYR M/E, 1-16KYR M/E, 1-20KYR M/E |                                           |                              |
| TLY120 (14" x 20")                                                                                     | 151.50                                    | 97.75                        |
| 4-TLY12, 4-TLY16, 4-TLY25<br>1-505, 1-510<br>1-12KYR, 1-16KYR, 1-25KYR                                 |                                           |                              |

"TRU-LOK" pocket tapes are available with yellow blades only.

Les mesures de poche "TRU-LOK" disponible avec les rubans jaunes seulement.

Prices subject to change without notice. We reserve the right to invoice at prices in effect at time of shipment.

Prix sujets à changement sans préavis. Nous réservons le droit de facturer les commandes aux prix en vigueur au moment de l'envoi.



TRU-LOK DISPLAY  
ÉTALLAGE TRU-LOK

EFFECTIVE SEPTEMBER 1/77

NO. TL-7709 CD

EN VIGUEUR LE 1 SEPTEMBRE 1977

**EVANS RULE CO., Ltd.** • 5653 Pare Street — Montreal, Que. H4P 1S1

Telephone: 731-3740 Printed in Canada

Imprimé au Canada Telex: 055-60163

